

**VENDED**

**Coin Slide-Operated**

- SWT910/SWT911 Topload Washer
- SDE907/SDG909 Single Load Dryer
- SSE917/SSG919 Stack Dryer - See-Through Door

**Speed Queen®**



# BUILT FOR **RELIABLE** PERFORMANCE.

For more than a century, Speed Queen has built a legacy on providing equipment that stands up to any commercial laundry challenge. We make no compromises in performance. We refuse to be outdone in reliability and efficiency. Our commitment to quality is only matched by our commitment to your success. The result? The most profitable machines in the industry – bar none.

## HEAVY-DUTY COMMERCIAL COIN SLIDE-OPERATED

Laundry owners continuously are confronted with issues such as energy conservation, equipment breakdowns and vandalism. That's why when it comes to coin-operated washers and dryers, water and energy efficient designs, quality internal components and high security systems are among the most important factors to consider when equipping a laundry room.

Speed Queen's coin washer, single load and stack dryer also increase process speed and lower utility costs, benefiting building management. Residents will have the increased flexibility of six cycle selections.

Your authorized Speed Queen distributor can design a laundry solution to meet the needs of your property.

## HIGH EFFICIENCY AUTOMATIC WASHER

- Exclusive stainless steel or porcelain washtub with large capacity 79 litres.
- Three energy-saving cycles.
  - ~ Water saver cycle with wash and two rinses.
  - ~ 92 litres per cycle.
  - ~ Automatic temperature control to reduce hot water.
- Three regular cycles.
  - ~ Normal, Permanent Press or Delicate.

## SUPERIOR WASH/RINSE ACTION


Curved four-vane polypropylene agitator with 210° wash stroke, the longest in the industry, produces superb washing and rinsing results.



## HIGH-SPEED SPIN EXTRACT

A high extract speed of 710 RPM spins clothes out drier. In fact, the high spin speed lowers moisture retention by 3.4% over previous models. This means faster drying, increased cycle turns and satisfied users.

## AUTOMATIC BALANCE SYSTEM



Customers will appreciate the Automatic Balance System (ABS) for smooth and quiet operation, even on wood floors. The ABS provides the industry's best out-of-balance handling, completing wash cycles without interruption.

## QUALITY WASHER COMPONENTS

- Electronic Hybrid Timer for reliable operation.
- Durable stainless steel and porcelain enamel washtub.
- Long-lasting galvanized steel cabinet.
- StrongBox Security™ on meter case.
- Dependable, Eversmooth transmission.
- Heavy-duty, 1/2 HP, one-speed motor.
- Single-belt drive simplicity
- Corrosion-resistant polypropylene pump.
- Pump clips for service convenience.
- Rear self-leveling legs.
- Unit is 100% front serviceable.



# DEDICATED TO A HIGHER STANDARD.

## SUPERIOR DRYING CONVENIENCE

- Electric programmable timer in one-minute increments 1-64 minutes with cool down of 3-6 minutes.
- A wide door opening of 1,914 sq. cm. is the industry's largest, offering residents the convenience of easy loading and unloading.
- Door is reversible for installation flexibility. The upfront lint filter is easy to clean and secured.

## DRYING AND ENERGY DYNAMICS

- Durable galvanized steel cylinder with extra-large 9 kg capacity. The gentle tumble action minimizes wrinkles.
- Quiet, efficient blower system with superior airflow of 85 litres per second for fast drying and lower operating costs.
- Efficient dryer heating with 25,000 Btu (gas models) and 4,200 Watts (electric models).

## STACK DRYER FEATURES

- See-through door model.
- A space saver! Two dryers in the space of one, both operating independently.
- 100% serviceable from the front.
- StrongBox Security™ center section module to reduce vandalism.

## CONTROL FEATURES



One-Speed Washer  
Slide Operated  
Control



Dryer  
Slide Operated  
Control

### Washer

User selectable options for Hot, Warm or Cold wash temperatures. One-speed model offers three wash temperatures combined with selections for six cycles including three "water saver" cycles.

### Dryer

Our dryer's electronic control offers four heat/cycle options. Factory set with a 45-minute drying time, the timer can be programmed in one-minute increments. A push-to-start button adds convenience for residents as does an in-use LED.

## ACTIVATION FEATURES



Coin Slide

Speed Queen offers many activation options to meet your specific market needs.

Coin slides offer simple, dependable operation.



StrongBox Security™ system on both washers and dryers provides top-of-the-industry security to deter vandalism of tops and metercases.

Durable porcelain enamel tops and lids resist corrosion and scratching, assuring long-lasting appearance.



**Speed Queen®**

# WASHER & DRYER SPECIFICATIONS

	Washers	Dryers	Stack Dryers
	SWT910 SWT911	Electric: SDE907 Gas: SDG909	Electric: SSE917 Gas: SSG919
Basket/Cylinder Volume - litres (cu. ft.)	79 (2.8)	198 (7.0)	198 (7.0)
Width - mm (in)	651 (25 5/8")	683 (26 7/8")	683 (26 7/8")
Depth - mm (in)	711 (28")	711 (28")	711 (28")
Height* - mm (in)	1092 (43")	1092 (43")	1946 (76 5/8")
Work Surface Height - mm (in)	914 (36")	914 (36")	N/A
Weight - kg (lb)	86 (190)	Electric: 61 (135) Gas: 64 (140)	Electric: 120 (265) Gas: 125 (275)
Shipping Weight - kg (lb)	95 (210)	Electric: 66 (145) Gas: 68 (150)	Electric: 127 (280) Gas: 132 (290)
Cycle Time - minutes	16-31	45	45
Motor HP (Capacitor Start and Thermal Protected)	1/2 HP, 1-speed	1/3 HP, 5.5 amps	1/3 HP, 5.5 amps
Water Consumption - ltrs. per cycle	99	N/A	N/A
Hot Water - litres per cycle	17	N/A	N/A
Water Pressure - kPa (psi)	Pressure fill – 137.89/827.37 (20 to 120)	N/A	N/A
Spin Speed - RPM	1-spd, 710	N/A	N/A
Cycle/Temperature	Hot Warm Cold	High Medium Low Delicate	High Medium Low Delicate
Electrical Specifications	240/50/1-10 amp	Electric: 240/50/1-20 amp Gas: 240/50/1-10 amp	Electric: 240/50/1-20 amp Gas: 240/50/1-10 amp
Mj Per Hour	N/A	26.38	26.38
Heating Element	N/A	4200 W, 240 V	4200 W, 240 V
Type of Gas (Gas models only)	N/A	Factory-equipped natural/ mixed gas. Convertible to LP gas.**	Factory-equipped natural/ mixed gas. Convertible to LP gas.**
Utility Connections - mm (in)	N/A	Gas: 9.5 NPT (3/8")	Gas: 9.5 NPT (3/8")
Air Outlet Diameter - mm (in)	N/A	102 (4")	102 (4")
Exhaust Airflow*** - litres/sec. (cfm)	N/A	85 (220)	85 (220)
Maximum Exhaust Static Back Pressure	N/A	0.6" W.C.	0.6" W.C.
Agency Approval	SAA Approvals	Electric: SAA Approvals Gas: Australia Gas Assoc.	Electric: SAA Approvals Gas: Australia Gas Assoc.
Activation	Coin-Operated	Coin-Operated	Coin-Operated
Self-Adjusting Rear Legs	Yes	No	No
Top and Lid Finish	Porcelain	Porcelain	N/A
Colors	White	White	White
Door Type	Solid	Solid	Window

\* Heights may vary slightly depending on leveling adjustments.

\*\* IMPORTANT: Any product revisions or conversions must be made by the Manufacturer's Authorized Dealers, Distributors, or local service personnel.

\*\*\* Measured at point of exit from dryer. The quality management systems at all Alliance Laundry Systems facilities have been awarded ISO 9001 certification. Features and certifications may vary by model.

At Speed Queen, we're so confident that our heavy-duty commercial washers and dryers are Commercial Built to Last Longer, that we're offering the following limited warranty to prove it: Through three years† — Any part of the washer, dryer or stack dryer. Through five years† — The washer transmission assembly, base and cabinet assembly including top, lid and door, against rust from inside out. Lifetime† — The stainless steel washitub.

† Paris only. Labor not included. See Speed Queen Warranty Bond for specifics.

For the most accurate information the installation guide should be used for all design and construction purposes. Due to continuous product improvements, design and specifications subject to change without notice. The quality management systems at all Alliance Laundry Systems manufacturing facilities are registered as ISO 9001:2000 compliant.

©Copyright 2011 Alliance Laundry Systems LLC

[speedqueen.com](http://speedqueen.com)

